| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION | (X3) DATE SURVEY COMPLETED |
|---|---|---|---|
| | 155132 | A. BUILDING _____ B. WING _____ | C 07/26/2016 |

| NAME OF PROVIDER OR SUPPLIER | STREET ADDRESS, CITY, STATE, ZIP CODE |
|---|---|
| **DANVILLE REGIONAL REHABILITATION** | **255 MEADOW DR DANVILLE, IN 46122** |

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
|---|---|---|---|---|
| F 000 | INITIAL COMMENTS<br><br>This visit was for the Investigation of Complaints IN00204018, IN00205081, and IN00205175.<br><br>Complaint IN00204018 - Unsubstantiated due to lack of evidence.<br><br>Complaint IN00205081 - Substantiated. No deficiencies related to the allegations are cited.<br><br>Complaint IN00205175 - Unsubstantiated due to lack of evidence.<br><br>Survey dates: July 25 & 26, 2016<br><br>Facility number: 000057<br>Provider number: 155132<br>AIM number: 100266570<br><br>Census bed type:<br>SNF/NF: 82<br>Total: 82<br><br>Census payor type:<br>Medicare: 15<br>Medicaid: 47<br>Other: 20<br>Total: 82<br><br>Sample: 5<br><br>Danville Regional Rehabilitation was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1 in regard to the Investigation of Complaints IN00204018, IN00205081, and IN00205175.<br><br>QR was completed by 99993 on 07/27/16. | F 000 | | |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION | (X3) DATE SURVEY COMPLETED |
|---|---|---|---|
| | 155132 | A. BUILDING _____ B. WING _____ | C 07/26/2016 |

| NAME OF PROVIDER OR SUPPLIER | STREET ADDRESS, CITY, STATE, ZIP CODE |
|---|---|
| **DANVILLE REGIONAL REHABILITATION** | **255 MEADOW DR DANVILLE, IN 46122** |

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
|---|---|---|---|---|
| | | | | |